

214		4" Acoustic sound batt insulation	1.724	SF	10%	1940	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00		
215		Acoustical sealant @ floor and ceiling	784	LF	10%	882	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
UNIT B-3 (2 EA)																					
216		Partition Type H0 (204 LF) - Fire Rating: 1 hr. - Height: 9'-0"	1,836	SF	10%	2020															
217		(1) layer of 5/8" type "X" gypsum board @ both sides	3,672	SF	10%	4039	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		4"x8" GB Sheet	112.00	Sheets	10%	128.50															
		Sanding Disc	2.98	Each	10%	3.52	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		250' Tape Roll	10.00	Rolls	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	19.00	Gallons	10%	20.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	3.00	Each	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	20.00	Pounds	10%	22.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	0.38	Case	10%	1.07	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Sponges	3.88	Each	10%	4.27	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
218		2" x 4" Wood Studs @ 16" OC	1,380	LF	10%	1518	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
219		4" Acoustic sound batt insulation	1,836	SF	10%	2020	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
220		Acoustical sealant @ floor and ceiling	816	LF	10%	898	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
221		Partition Type H1 (30 LF) - Fire Rating: 1 hr. - Height: 9'-0"	270	SF	10%	297															
222		(1) layer of 5/8" type "X" gypsum board @ both sides	540	SF	10%	594	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		4"x8" GB Sheet	17.00	Sheets	10%	18.70															
		Sanding Disc	0.34	Each	10%	0.37	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		250' Tape Roll	2.00	Rolls	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	3.00	Gallons	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	2.00	Each	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	3.00	Pounds	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	0.14	Case	10%	0.16	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Sponges	0.66	Each	10%	0.72	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
223		2" x 4" Wood Studs @ 16" OC	204	LF	10%	223	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
224		4" Acoustic sound batt insulation	270	SF	10%	297	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
225		Acoustical sealant @ floor and ceiling	120	LF	10%	132	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
226		Partition Type H1 (12 LF) - Fire Rating: 1 hr. - Height: 9'-0"	34	SF	10%	37															
227		(1) layer of 5/8" type "X" gypsum board @ both sides	68	SF	10%	75	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		4"x8" GB Sheet	3.00	Sheets	10%	3.30															
		Sanding Disc	0.04	Each	10%	0.05	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		250' Tape Roll	1.00	Rolls	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	1.00	Gallons	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	1.00	Pounds	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	0.02	Case	10%	0.02	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Sponges	0.07	Each	10%	0.08	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
228		2" x 4" Wood Studs @ 16" OC	26	LF	10%	28	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
229		4" Acoustic sound batt insulation	34	SF	10%	37	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
230		Acoustical sealant @ floor and ceiling	48	LF	10%	53	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
231		Partition Type P-60 (40 LF) - Fire Rating: 1 hr. - Height: 9'-0"	360	SF	10%	396															
232		2" x 4" Wood Studs @ 24" OC	360	LF	10%	396	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
233		(1) layer of 5/8" type "X" gypsum board @ both sides	720	SF	10%	792	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		4"x8" GB Sheet	23.00	Sheets	10%	25.30															
		Sanding Disc	0.45	Each	10%	0.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		250' Tape Roll	2.00	Rolls	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	4.00	Gallons	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	2.00	Each	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	4.00	Pounds	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		1-1/4" Drywall Screws	0.19	Case	10%	0.21	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Sponges	0.76	Each	10%	0.83	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
234		3 1/2" unfaced fiber glass batt insulation @ both sides	720	SF	10%	792	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
235		Fire blocking in air space @ 10'-0"	180	LF	10%	198	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
236		Acoustical sealant @ floor and ceiling	160	LF	10%	176	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
237		Partition Type P-61 (24 LF) - Fire Rating: 1 hr. - Height: 9'-0"	216	SF	10%	238															
238		2" x 4" Wood Studs @ 24" OC	216	LF	10%	238	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
239		(1) layer of 5/8" type "X" gypsum board @ both sides	432	SF	10%	475	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		4"x8" GB Sheet	14.00	Sheets	10%	15.40															
		Sanding Disc	0.27	Each	10%	0.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		250' Tape Roll	2.00	Rolls	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	3.00	Gallons	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	
		Joint Compound	1.00																		

652		Vapor semi permeable latex paint	3.024	SF	10%	3326	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
653		Acoustical sealant @ floor and ceiling	1.344	LF	10%	1478	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
UNIT B-2 (16 EA)																		
654	Partition Type 140 (1552 LF) - Fire Rating: 1 hr. - Height: 9'-0"		13,968	SF	10%	15365												
655	(1) layer of 5/8" type "X" osyrum board @ both sides	27,936	SF	10%	30730	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	872.00	Sheets	10%	960.90													
	Sanding Disc	17.48	Each	10%	19.21	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	73.00	Rolls	10%	80.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	140.00	Gallons	10%	154.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	69.00	Each	10%	75.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	147.00	Pounds	10%	161.70	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	7.42	Case	10%	8.16	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Spacers	29.10	Each	10%	32.01	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
656	2" x 4" Wood Studs @ 16" OC	10,502	LF	10%	11552	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
657	4" Acoustic sound batt insulation	6,208	SF	10%	6829	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
658	Acoustical sealant @ floor and ceiling	6,208	LF	10%	6829	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
659	Partition Type 141 (224 LF) - Fire Rating: 1 hr. - Height: 9'-0"		2,016	SF	10%	2218												
660	(1) layer of 5/8" type "X" osyrum board @ both sides	4,032	SF	10%	4435	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	126.00	Sheets	10%	138.60													
	Sanding Disc	2.52	Each	10%	2.77	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	11.00	Rolls	10%	12.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	21.00	Gallons	10%	23.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	9.00	Each	10%	9.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	22.00	Pounds	10%	24.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	1.07	Case	10%	1.18	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Spacers	4.00	Each	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
661	2" x 4" Wood Studs @ 16" OC	1,616	LF	10%	1667	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
662	4" Acoustic sound batt insulation	2,016	SF	10%	2218	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
663	Acoustical sealant @ floor and ceiling	896	LF	10%	986	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
664	Partition Type 142 (48 LF) - Fire Rating: 1 hr. - Height: 9'-0"		492	SF	10%	475												
665	(1) layer of 5/8" type "X" osyrum board @ both sides	984	SF	10%	950	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	27.00	Sheets	10%	29.70													
	Sanding Disc	0.54	Each	10%	0.59	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	3.00	Rolls	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	5.00	Gallons	10%	5.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	2.00	Each	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	5.00	Pounds	10%	5.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	0.23	Case	10%	0.25	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Spacers	0.90	Each	10%	0.99	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
666	2" x 4" Wood Studs @ 16" OC	264	LF	10%	282	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
667	4" Acoustic sound batt insulation	432	SF	10%	475	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
668	Acoustical sealant @ floor and ceiling	192	LF	10%	211	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
669	Partition Type P-60 (464 LF) - Fire Rating: 1 hr. - Height: 9'-0"		4,176	SF	10%	4594												
670	2" x 4" Wood Studs @ 24" OC	4,176	LF	10%	4594	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
671	(1) layer of 5/8" type "X" osyrum board @ both sides	8,352	SF	10%	9187	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	291.00	Sheets	10%	297.70													
	Sanding Disc	5.22	Each	10%	5.74	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	22.00	Rolls	10%	24.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	42.00	Gallons	10%	46.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	18.00	Each	10%	19.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	44.00	Pounds	10%	48.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	2.22	Case	10%	2.44	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Spacers	8.70	Each	10%	9.57	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
672	3 1/2" unfaced fiber glass batt insulation @ both sides	8,352	SF	10%	9187	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
673	Fire blocking in air space @ 10'-0"	2,088	LF	10%	2297	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
674	Acoustical sealant @ floor and ceiling	1,896	LF	10%	2042	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
675	Partition Type P-61 (496 LF) - Fire Rating: 1 hr. - Height: 9'-0"		4,464	SF	10%	4910												
676	2" x 4" Wood Studs @ 24" OC	4,464	LF	10%	4910	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
677	(1) layer of 5/8" type "X" osyrum board @ both sides	8,928	SF	10%	9821	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	306.00	Sheets	10%	336.60													
	Sanding Disc	5.58	Each	10%	6.14	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	24.00	Rolls	10%	26.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	45.00	Gallons	10%	49.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	19.00	Each	10%	20.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	47.00	Pounds	10%	51.70	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	2.37	Case	10%	2.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Spacers	8.80	Each	10%	9.68	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
678	3 1/2" unfaced fiber glass batt insulation @ both sides	8,928	SF	10%	9821	\$0.00	\$0											

724		OBS sheathing	432	SF	10%	475	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
725		Vapor semi permeable latex paper	432	SF	10%	211	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
726		Acoustical sealant @ floor and ceiling	192	LF	10%	211	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
727		Partition Type F-61 (8 LF) - Height: 9'-0"	72	SF	10%	79	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
728		(1) layer of 5/8" type "X" gypsum board @ one sides	72	SF	10%	79	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		4"x8" GB Sheet	3.00	Sheets	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	0.06	Each	10%	0.06	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	1.00	Rolls	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	1.00	Gallons	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	1.00	Pounds	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.02	Case	10%	0.02	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	0.08	Each	10%	0.08	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
729		2" x 4" Wood Studs @ 16" OC	72	LF	10%	79	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
730		4" Acoustic sound batt insulation	72	SF	10%	79	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
731		Acoustical sealant @ floor and ceiling	32	LF	10%	35	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
UNIT A-3 (2 EA)																			
732		Partition Type H-60 (136 LF) - Fire Rating: 1 hr. - Height: 9'-0"	1,224	SF	10%	1346													
733		(1) layer of 5/8" type "X" gypsum board @ both sides	2,448	SF	10%	2603	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		4"x8" GB Sheet	77.00	Sheets	10%	84.70	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	1.53	Each	10%	1.68	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	7.00	Rolls	10%	7.70	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	13.00	Gallons	10%	14.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	8.00	Each	10%	8.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	13.00	Pounds	10%	14.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.62	Case	10%	0.72	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	2.86	Each	10%	3.13	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
734		2" x 4" Wood Studs @ 16" OC	960	LF	10%	1012	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
735		4" Acoustic sound batt insulation	1,224	SF	10%	1,346	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
736		Acoustical sealant @ floor and ceiling	544	LF	10%	588	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
737		Partition Type H-60 (16 LF) - Fire Rating: 1 hr. - Height: 9'-0"	45	SF	10%	50													
738		(1) layer of 5/8" type "X" gypsum board @ both sides	91	SF	10%	100	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		4"x8" GB Sheet	3.00	Sheets	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	0.06	Each	10%	0.06	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	1.00	Rolls	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	1.00	Gallons	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	1.00	Pounds	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.02	Case	10%	0.03	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	0.09	Each	10%	0.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
739		2" x 4" Wood Studs @ 16" OC	34	LF	10%	37	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
740		4" Acoustic sound batt insulation	45	SF	10%	50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
741		Acoustical sealant @ floor and ceiling	64	LF	10%	70	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
742		Partition Type H-61 (20 LF) - Fire Rating: 1 hr. - Height: 9'-0"	180	SF	10%	198													
743		(1) layer of 5/8" type "X" gypsum board @ both sides	360	SF	10%	396	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		4"x8" GB Sheet	12.00	Sheets	10%	13.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	0.23	Each	10%	0.25	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	1.00	Rolls	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	2.00	Gallons	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	2.00	Pounds	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.10	Case	10%	0.11	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	0.36	Each	10%	0.41	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
744		2" x 4" Wood Studs @ 16" OC	135	LF	10%	149	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
745		4" Acoustic sound batt insulation	180	SF	10%	198	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
746		Acoustical sealant @ floor and ceiling	80	LF	10%	88	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
747		Partition Type P-60 (102 LF) - Fire Rating: 1 hr. - Height: 9'-0"	918	SF	10%	1010													
748		(1) layer of 5/8" type "X" gypsum board @ both sides	1,836	SF	10%	2,020	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		4"x8" GB Sheet	58.00	Sheets	10%	63.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	1.15	Each	10%	1.26	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	5.00	Rolls	10%	5.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	10.00	Gallons	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	4.00	Each	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	10.00	Pounds	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.49	Case	10%	0.54	\$0.00	\$0.00	\$0.00	\$0.0									

943		Acoustical sealant @ floor and ceiling	1.632	LF	10%	1795	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
944	Partition Type F-61 (168 LF) - Fire Rating: 1 hr. - Height: 9'-0"	(1) layer of 5/8" type "X" gypsum board @ one side	1.512	SF	10%	1663	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
945		4"x8" GB Sheet	48.00	Sheets	10%	52.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	0.05	Each	10%	1.04	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	4.00	Rolls	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	8.00	Gallons	10%	8.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	4.00	Each	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	8.00	Pounds	10%	8.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.40	Case	10%	0.44	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	1.58	Each	10%	1.73	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
946		2" x 4" Wood Studs @ 16" OC	1.137	LF	10%	1251	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
947		4" Acoustic sound batt insulation	1.612	SF	10%	1863	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
948		Acoustical sealant @ floor and ceiling	672	LF	10%	739	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
UNIT C-1 (6 EA)																			
949	Partition Type I-60 (756 LF) - Fire Rating: 1 hr. - Height: 9'-0"	(1) layer of 5/8" type "X" gypsum board @ both sides	6.804	SF	10%	7484													
950		4"x8" GB Sheet	13.608	Sheets	10%	14969	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	0.51	Each	10%	5.61	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	36.00	Rolls	10%	39.60	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	69.00	Gallons	10%	75.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	29.00	Each	10%	31.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	72.00	Pounds	10%	79.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	3.62	Case	10%	3.98	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	14.18	Each	10%	15.59	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
951		2" x 4" Wood Studs @ 16" OC	5.116	LF	10%	5627	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
952		4" Acoustic sound batt insulation	6.804	SF	10%	7484	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
953		Acoustical sealant @ floor and ceiling	3.024	LF	10%	3326	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
954	Partition Type I-61 (192 LF) - Fire Rating: 1 hr. - Height: 9'-0"	(1) layer of 5/8" type "X" gypsum board @ both sides	1.728	SF	10%	1901													
955		4"x8" GB Sheet	3.456	Sheets	10%	3802	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	0.18	Each	10%	1.98	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	9.00	Rolls	10%	9.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	18.00	Gallons	10%	19.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	8.00	Each	10%	8.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	18.00	Pounds	10%	20.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.92	Case	10%	1.01	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	3.80	Each	10%	3.96	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
956		2" x 4" Wood Studs @ 16" OC	1.299	LF	10%	1429	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
957		4" Acoustic sound batt insulation	1.728	SF	10%	1901	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
958		Acoustical sealant @ floor and ceiling	788	LF	10%	845	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
959	Partition Type I-62 (18 LF) - Fire Rating: 1 hr. - Height: 9'-0"	(1) layer of 5/8" type "X" gypsum board @ both sides	162	SF	10%	178													
960		4"x8" GB Sheet	324	Sheets	10%	356	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	11.00	Each	10%	12.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	0.20	Rolls	10%	0.22	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	2.00	Gallons	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	1.00	Pounds	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.09	Case	10%	0.09	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	0.34	Each	10%	0.37	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
961		2" x 4" Wood Studs @ 16" OC	122	LF	10%	134	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
962		4" Acoustic sound batt insulation	162	SF	10%	178	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
963		Acoustical sealant @ floor and ceiling	72	LF	10%	79	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
964	Partition Type E-4 (258 LF) - Fire Rating: 1 hr. - Height: 9'-0"	(1) layer of 5/8" type "X" gypsum board @ both sides	2.922	SF	10%	2554													
965		4"x8" GB Sheet	4.644	Sheets	10%	5108	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	1.60	Each	10%	1.76	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	13.00	Rolls	10%	14.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	24.00	Gallons	10%	26.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	10.00	Each	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	25.00	Pounds	10%	27.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	1.23	Case	10%	1.36	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sponges	4.84	Each	10%	5.32	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
966		R-20 unfaced fiber glass batt insulation @ both sides	2.922	SF	10%	2554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
967		2" x 4" Wood Studs @ 24" OC	1.181	LF	10%	1277	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
968		4" Acoustic sound batt insulation	2.322	SF	10%	2554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
969		Vapor semi permeable latex paint	2.322	SF	10%	2554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
970		Acoustical sealant @ floor and ceiling	1.032	LF	10%	1135	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
BUILDING-2 TYPE-2																			
UNIT A-2 (2 EA)																			
971	Partition Type I-60 (102 LF) - Fire Rating: 1 hr. - Height: 9'-0"	(1) layer of 5/8" type "X" gypsum board @ both sides	918	SF	10%	1010													
972		4"x8" GB Sheet	58.00	Sheets	10%	63.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Sanding Disc	1.18	Each	10%	1.28	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		250' Tape Roll	5.00	Rolls	10%	5.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	10.00	Gallons	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		Joint Compound	4.00	Each	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	10.00	Pounds	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
		1-1/4" Drywall Screws	0.49	Case	10%	0.54	\$0.00	\$0.00</											

UNIT C-1 (6 EA)												
1088	Partition Type 140 (756 LF) - Fire Rating: 1 hr. - Height: 9'-0"	6,804	SF	10%	7484							
1089	(1) layer of 5/8" type "X" gypsum board @ both sides	13,608	SF	10%	14969	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	426.00	Sheets	10%	468.00							
	Sanding Disc	8.91	Each	10%	9.36	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	36.00	Rolls	10%	39.60	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	68.00	Gallons	10%	75.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	29.00	Each	10%	31.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	72.00	Pounds	10%	79.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	3.62	Case	10%	3.98	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	14.18	Each	10%	15.59	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1090	2" x 4" Wood Studs @ 16" OC	5,116	LF	10%	5627	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1091	R-0 Acoustic sound batt insulation	6,804	SF	10%	7,484	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1092	Acoustical sealant @ floor and ceiling	3,024	LF	10%	3,326	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1093	Partition Type 141 (192 LF) - Fire Rating: 1 hr. - Height: 9'-0"	1,728	SF	10%	1901							
1094	(1) layer of 5/8" type "X" gypsum board @ both sides	3,456	SF	10%	3802	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	108.00	Sheets	10%	118.80							
	Sanding Disc	2.16	Each	10%	2.38	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	3.60	Rolls	10%	3.96	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	18.00	Gallons	10%	19.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	8.00	Each	10%	8.80	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	19.00	Pounds	10%	20.90	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	0.92	Case	10%	1.01	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	1,299	LF	10%	1,429	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1095	2" x 4" Wood Studs @ 16" OC	1,299	LF	10%	1,429	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1096	R-0 Acoustic sound batt insulation	1,728	SF	10%	1,901	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1097	Acoustical sealant @ floor and ceiling	768	LF	10%	845	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1098	Partition Type 142 (18 LF) - Fire Rating: 1 hr. - Height: 9'-0"	162	SF	10%	178							
1099	(1) layer of 5/8" type "X" gypsum board @ both sides	324	SF	10%	356	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	11.00	Sheets	10%	12.10							
	Sanding Disc	0.90	Each	10%	0.97	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	1.00	Rolls	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	2.00	Gallons	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	2.00	Pounds	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	0.08	Case	10%	0.09	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	0.34	Each	10%	0.37	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1100	2" x 4" Wood Studs @ 16" OC	0.34	Each	10%	0.37	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1101	R-0 Acoustic sound batt insulation	162	SF	10%	178	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1102	Acoustical sealant @ floor and ceiling	72	LF	10%	79	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1103	Partition Type E-4 (258 LF) - Fire Rating: 1 hr. - Height: 9'-0"	2,322	SF	10%	2554							
1104	(1) layer of 5/8" type "X" gypsum board @ both sides	4,644	SF	10%	5108	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	146.00	Sheets	10%	160.60							
	Sanding Disc	2.98	Each	10%	3.28	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	13.00	Rolls	10%	14.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	24.00	Gallons	10%	26.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	10.00	Each	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	25.00	Pounds	10%	27.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	1.23	Case	10%	1.36	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	0.44	Each	10%	0.48	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	R-0 unfaced fiber glass batt insulation	2,322	SF	10%	2,554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1106	2" x 4" Wood Studs @ 24" OC	1,641	LF	10%	1,777	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1107	MS Sheathing	2,322	SF	10%	2,554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1108	Vapor semi permeable latex paint	2,322	SF	10%	2,554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1109	Acoustical sealant @ floor and ceiling	1,032	LF	10%	1,135	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
BUILDING-TYPES												
UNIT A-2 (2 EA)												
1110	Partition Type 140 (102 LF) - Fire Rating: 1 hr. - Height: 9'-0"	918	SF	10%	1010							
1111	(1) layer of 5/8" type "X" gypsum board @ both sides	1,836	SF	10%	2020	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	58.00	Sheets	10%	63.80							
	Sanding Disc	1.15	Each	10%	1.26	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	5.00	Rolls	10%	5.50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	10.00	Gallons	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	4.00	Each	10%	4.40	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	10.00	Pounds	10%	11.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	0.49	Case	10%	0.54	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	1.91	Each	10%	2.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1112	2" x 4" Wood Studs @ 16" OC	690	LF	10%	759	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1113	R-0 Acoustic sound batt insulation	918	SF	10%	1010	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1114	Acoustical sealant @ floor and ceiling	408	LF	10%	449	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1115	Partition Type 140 (16 LF) - Fire Rating: 1 hr. - Height: 2'-10"	45	SF	10%	50							
1116	(1) layer of 5/8" type "X" gypsum board @ both sides	91	SF	10%	100	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	3.00	Sheets	10%	3.30							
	Sanding Disc	0.08	Each	10%	0.08	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	1.00	Rolls	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	1.00	Gallons	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	1.00	Each	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	1.00	Pounds	10%	1.10	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	0.02	Case	10%	0.03	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	0.35	Each	10%	0.38	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	R-0 unfaced fiber glass batt insulation	45	SF	10%	50	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1118	Acoustical sealant @ floor and ceiling	64	LF	10%	70	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1119	Partition Type 141 (28 LF) - Fire Rating: 1 hr. - Height: 9'-0"	252	SF	10%	277							
1120	(1) layer of 5/8" type "X" gypsum board @ both sides	504	SF	10%	554	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	4"x8" GB Sheet	16.00	Sheets	10%	17.60							
	Sanding Disc	0.90	Each	10%	0.97	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	250' Tape Roll	2.00	Rolls	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Joint Compound	3.00	Gallons	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	2.00	Each	10%	2.20	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	1-1/4" Drywall Screws	3.00	Pounds	10%	3.30	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sponges	0.13	Case	10%	0.15	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	2" x 4" Wood Studs @ 16" OC	0.63	Each	10%	0.68	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1122	2" x 4" Wood Studs @ 16" OC	189	LF	10%	208	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1123	R-0 Acoustic sound batt insulation	252	SF	10%	277	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1124	Acoustical sealant @ floor and ceiling	112	LF	10%	123	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1125	Partition Type P-40 (84 LF) - Fire Rating: 1 hr. - Height: 9'-0"	756	SF	10%	832							
1126	2" x 4" Wood Studs @ 24" OC	756	LF	10%	832	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1127	(1) layer of 5/8" type "X" gypsum board @ both sides											

1716	2" x 6" Wood Studs @ 24" OC	260	LF	10%	275	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1717	GBS sheathing	600	SF	10%	660	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1718	Vapor semi permeable latex paint	600	SF	10%	660	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1719	Acoustical sealant @ floor and ceiling	168	LF	10%	172	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
CABANA BUILDING												
1720	Partition Type I-61 (17/8 LF) + Fire Rating 1 hr. Height: 9'0"	1,602	SF	10%	1762							
1721	(1) layer of 5/8" Acou. board @ both sides 4x8' GB Sheet	3,204	SF	10%	3624	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
	Sawfina Disc	2.00	Each	10%	2.20	\$0.00		\$0.00				\$0.00
	200' Tape Roll	9.00	Rolls	10%	9.90	\$0.00		\$0.00				\$0.00
	Joint Compound	17.00	Gallons	10%	18.70							
	Joint Compound	7.00	Each	10%	7.70	\$0.00		\$0.00				\$0.00
	1-1/4" Drywall Screws	17.00	Pounds	10%	18.70			\$0.00				\$0.00
	1-1/4" Drywall Screws	0.85	Case	10%	0.94	\$0.00		\$0.00				\$0.00
	Staples	3.34	Each	10%	3.67	\$0.00		\$0.00				\$0.00
1722	2" x 6" Wood Studs @ 16" OC	1,205	LF	10%	1325	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1723	6" Acoustic sound batt insulation	1,602	SF	10%	1762	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00
1724	Acoustical sealant @ floor and ceiling	712	LF	10%	783	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00	\$0.00

SUBTOTAL \$0.00

PROJECTED COST		\$0
OVERHEAD AND PROFIT		18%
INSURANCE		3%
CONTINGENCY		5%
SUGGESTED BID		\$0